

# Spitfire® SC Power Cleaner

Version Number: 2 Preparation date: 2017-06-29

### 1. IDENTIFICATION

Product name: Spitfire® SC Power Cleaner

**Product Code:** 95892546, 95892221, 95891201, 100969925

**SDS** #: MS0801237

Recommended use: 
• Heavy Duty Cleaner and Degreaser

Industrial/Institutional

 This product is intended to be diluted prior to use Uses other than those identified are not recommended

Manufacturer, importer, supplier:Canadian HeadquartersUS HeadquartersSealed Air - CanadaDiversey, Inc.3755 Laird Road

2415 Cascade Pointe Blvd. Charlotte, NC 28208 Phone: 1-888-352-2249

Uses advised against:

SDS Internet Address: https://sds.sealedair.com

Emergency telephone number: 1-800-851-7145; 1-651-917-6133 (Int'l)

# 2. HAZARDS IDENTIFICATION

Mississauga, Ontario L5L 0B3

Phone: 1-800-668-7171

# Classification for the undiluted product

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 1
Skin sensitization Category 1
Metal Corrosion: Category 1



Signal Word: Danger.

# Precautionary Statements

CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE. MAY CAUSE AN ALLERGIC SKIN REACTION. MAY BE CORROSIVE TO METALS

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid breathing spray. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear chemical-splash goggles and chemical-resistant gloves. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Take off contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations. SUPPLEMENTAL INFORMATION:. Mix only with water.



DO NOT MIX WITH ANY OTHER PRODUCT OR CHEMICAL. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat.

Health hazards not otherwise classified (HHNOC) - Not applicable Physical hazards not otherwise classified (PHNOC) - Not applicable

#### Classification for the diluted product @ 1:16

This product, when diluted as stated on the label, is not classified as hazardous according to OSHA 29CFR 1910.1200 (HazCom 2012-GHS) and Canadian Hazardous Products Regulations (HPR) (WHMIS 2015-GHS).

#### Precautionary Statements

None required.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# **Classified Ingredients**

Ingredient(s)	CAS#	Weight %
Benzyl alcohol	100-51-6	10 - 20%
Sodium xylene sulfonate	1300-72-7	10 - 20%
Diethylene glycol monoethyl ether	111-90-0	5 - 10%
Alcohol ethoxylates	68439-46-3	5 - 10%
Monoethanolamine	141-43-5	1 - < 3%
Potassium hydroxide	1310-58-3	1 - < 3%
Eucalyptus oil	8000-48-4	> 0.1 - < 1%

<sup>\*</sup>Exact percentages are being withheld as trade secret information

# 4. FIRST AID MEASURES

### **Undiluted Product:**

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN: Wash with plenty of soap and water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Ingestion: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

Most Important Symptoms/Effects: No information available.

Immediate medical attention and special treatment needed Not applicable.

#### **Diluted Product:**

**Eyes:** Rinse with plenty of water If irritation occurs and persists, get medical attention.

Skin: No specific first aid measures are required

Inhalation: No specific first aid measures are required

Ingestion: Rinse mouth with water.

# 5. FIRE-FIGHTING MEASURES

Specific methods: No special methods required

Suitable extinguishing media: Not applicable.

**Specific hazards:** Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Extinguishing media which must not be used for safety reasons: No information available.

# **6. ACCIDENTAL RELEASE MEASURES**

Spitfire® SC Power Cleaner 2 of 5

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.).

Clean-up methods - large spillage. Absorb spill with inert material (e.g. dry sand or earth), then place in

a chemical waste container. Use a water rinse for final clean-up.

# 7. HANDLING AND STORAGE

Handling: Mix only with water. Do not mix with any other product or chemical. Can react to release hazardous gases. May vigorously react with acids resulting in spattering and excessive heat. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Contaminated work clothing must not be allowed out of the workplace. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage: Keep tightly closed in a dry, cool and well-ventilated place. Store in corrosive-resistant container with a resistant inner liner.

Aerosol Level (if applicable): Not applicable

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure Guidelines:**

Ingredient(s)	CAS#	ACGIH	OSHA
Benzyl alcohol	100-51-6	-	-
Sodium xylene sulfonate	1300-72-7	-	-
Diethylene glycol monoethyl ether	111-90-0	-	-
Alcohol ethoxylates	68439-46-3	-	-
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	3 ppm (TWA) 6 mg/m³ (TWA)
Potassium hydroxide	1310-58-3	2 mg/m³ (Ceiling)	-
Eucalyptus oil	8000-48-4	-	-

#### **Undiluted Product:**

#### Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels.

Personal Protective Equipment

**Eye protection:** Chemical-splash goggles. **Hand protection:** Chemical-resistant gloves.

Skin and body protection:No personal protective equipment required under normal use conditions.Respiratory protection:No personal protective equipment required under normal use conditions.Hygiene measures:Handle in accordance with good industrial hygiene and safety practice.

# **Diluted Product:**

## Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels

Personal Protective Equipment

Eye protection:
Hand protection:
No personal protective equipment required under normal use conditions.
No personal protective equipment required under normal use conditions.
Skin and body protection:
No personal protective equipment required under normal use conditions.
No personal protective equipment required under normal use conditions.
No personal protective equipment required under normal use conditions.
Hygiene measures:
Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: LiquidColor: Clear RedEvaporation Rate: No information availableOdor: Pine Fresh

Odor threshold: No information available. Boiling point/range: Not determined

Melting point/range: Not determined Decomposition temperature: Not determined

Autoignition temperature: No information available Solubility: Completely Soluble

Solubility in other solvents: No information available

Density: 9.01 lbs/gal 1.08 Kg/L

Bulk density: No information available

Vapor density: No information available

Vapor pressure: No information available.

Flash point (°F): > 200 °F > 93.4 °C Partition coefficient (n-octanol/water): No information available

Dilution Flash Point (°F): > 200 °F > 93.4 °C Viscosity: 10

Elemental Phosphorus: 0.00 % by wt. VOC: 2.66 % \*

pH: 13.6 VOC % by wt. at use dilution 0.16 % \*

Spitfire® SC Power Cleaner 3 of 5

Dilution pH: 12.22 @ 1:16 Flammability (Solid or Gas): Not applicable Corrosion to metals: Corrosive Sustained combustion: Not applicable

Explosion limits: - upper: Not determined - lower: Not determined

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

### 10. STABILITY AND REACTIVITY

Reactivity: Not Applicable Stability: The product is stable

Possibility of hazardous reactions: May vigorously react with acids resulting in spattering and excessive heat.

Hazardous decomposition products: None reasonably foreseeable.

Materials to avoid: Strong acids. Do not mix with any other product or chemical unless specified in the use directions.

Conditions to avoid: No information available.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Skin contact, Inhalation, Ingestion, Eye contact

#### Delayed, immediate, or chronic effects and symptoms from short and long-term exposure

Skin contact: Causes skin irritation. Symptoms may include pain (which may be delayed), redness, and/or discomfort.

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea. **Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and

**innalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects. May cause an allergic skin reaction. Symptoms may include rash, hives, itching, bumps, redness, swelling, and/or discomfort.

Target Organs (SE): None known
Target Organs (RE): None known

## Numerical measures of toxicity

ATE - Oral (mg/kg): 2900 ATE - Dermal (mg/kg): >5000 ATE - Inhalatory, mists (mg/l): 15 ATE - Inhalatory, vapors (mg/l): >50

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity:** No information available.

Persistence and Degradability: No information available.

**<u>Bioaccumulation:</u>** No information available.

### 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products (undiluted product): This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

Waste from residues / unused products (diluted product): This product, when diluted as stated on this SDS, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

RCRA Hazard Class (undiluted product): D002 Corrosive Waste

RCRA Hazard Class (diluted product): Not Regulated

Spitfire® SC Power Cleaner 4 of 5

Contaminated Packaging: Do not re-use empty containers.

# 14. TRANSPORT INFORMATION

<u>DOT/TDG/IMDG:</u> Proper shipping descriptions can vary by pack size. Please refer to the Diversey HazMat Library, http://naextranet.diversey.com/dot/, for up to date shipping information.

DOT (Ground) Bill of Lading Description: UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, III

IMDG (Ocean) Bill of Lading Description: UN1814, POTASSIUM HYDROXIDE SOLUTION, 8, III

### 15. REGULATORY INFORMATION

### International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL).

## **RIGHT TO KNOW (RTK)**

Ingredient(s)	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:
Water	7732-18-5	-	-	-	-
Benzyl alcohol	100-51-6	X	-	X	=
Sodium xylene sulfonate	1300-72-7	-	-	=	-
Diethylene glycol monoethyl ether	111-90-0	-	Х	=	=
Alcohol ethoxylates	68439-46-3	-	-	=	-
Monoethanolamine	141-43-5	X	Х	X	-
Potassium hydroxide	1310-58-3	X	X	X	X
2-butoxyethanol	111-76-2	X	Х	X	-
Eucalyptus oil	8000-48-4	-	-	-	-

#### **CERCLA/ SARA**

Ingredient(s)	CAS#	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
Diethylene glycol monoethyl ether	111-90-0	5 - 10%			X
Potassium hydroxide	1310-58-3	1 - < 3%	1000		
2-butoxyethanol	111-76-2	> 0.1 - < 1%			Х

Ingredient(s)	CAA HAP	CAA ODS	CWA Priority Pollutants
Diethylene glycol monoethyl ether	X		
2-butoxyethanol	X		

## Canadian Regulations

Ingredient(s)	CAS#	NPRI
2-butoxyethanol	111-76-2	X

# **16. OTHER INFORMATION**

### NFPA (National Fire Protection Association)

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

Health 3 Flammability 0 Instability 0

Version Number: 2

Preparation date: 2017-06-29

Reason for revision: Not applicable Prepared by: NAPRAC

Additional advice: • Contains an added fragrance, see "Odor" heading in section 9 for specific description

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

Spitfire® SC Power Cleaner 5 of 5